Stark Farms\_S3
Briscoe County, Texas, 176.0 AC +/-







## | All Polygons 176.9 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
Ra	Randall clay, 0 to 1 percent slopes	37.5	21.18	6w
LcA	Lazbuddie clay, 0 to 1 percent slopes	123.4	69.79	3s
Lo	Lofton clay loam	1.1	0.64	3e
PuA	Pullman clay loam, 0 to 1 percent slopes	7.4	4.2	3e
EsB	Estacado clay loam, 1 to 3 percent slopes	5.3	3.0	3e
PuB	Pullman clay loam, 1 to 3 percent slopes	2.1	1.19	3e
TOTALS		176.9	100%	3.64

# | Farm Boundary 160.7 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
Ra	Randall clay, 0 to 1 percent slopes	37.5	23.31	6w
LcA	Lazbuddie clay, 0 to 1 percent slopes	122.1	75.99	3s
Lo	Lofton clay loam	1.1	0.7	3e
TOTALS		160.7	100%	3.7

### | Boundary 16.2 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
PuA	Pullman clay loam, 0 to 1 percent slopes	7.4	45.97	3e
EsB	Estacado clay loam, 1 to 3 percent slopes	5.3	32.86	3e
LcA	Lazbuddie clay, 0 to 1 percent slopes	1.3	8.16	3s
PuB	Pullman clay loam, 1 to 3 percent slopes	2.1	13.02	3e
TOTALS		16.2	100%	3.0

### **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)								
Class(non migated)	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

### **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water